



Closet Solutions

MILANO | KAMO | ORLANDO | LOGO | CAVARE | ACCESSORIES



Richelieu

MILANO

Available in 3 finishes: aluminum, bronze and bronze-leather. The latter is a **unique product** combining a bronze-colored frame and real leather covering the front.

Aluminum, Bronze and Bronze-Leather

Milano is a range of sliding baskets with a variety of accessories (baskets, racks for pants, skirts, shoes, shirts, etc.) that let you design your perfect wardrobe, all with a unique style! The frame is equipped with soft-closing full-extension slides. Adding to the harmonious look, rods are available in colors that are identical to the baskets.



Designed for cabinets
of 30" and 36"
interior width and
21 3/4" interior depth
(metric conversion is for
informational purposes only).

For a complete set, order
a frame (slides are included)
plus the accessory (b to f)
to insert into the frame.

The dimensions given in the
tables shown here represent
the interior dimensions
required for installation.
In planning, please also
consider the space required
for the garments you will store
using these accessories (eg,
length of the skirts, shoes).



a

Frame for interior width of:
30" (762 mm)

N° 130030010 | Aluminum
N° 130030045 | Bronze-Leather
N° 130030135 | Bronze

36" (914 mm)

N° 130036010 | Aluminum
N° 130036045 | Bronze-Leather
N° 130036135 | Bronze

Required depth: 21 3/4" (552 mm)



b

Set of 2 baskets

Requires a 36" (914 mm) frame

Required height: 15" (381 mm)

N° 130910010 | Aluminum frame, gray baskets
N° 130960135 | Bronze frame, brown baskets



c

Rack for pants and skirts 36" (914 mm)

Requires a 36" (914 mm) frame

Required height: 3" (76 mm)

N° 130136010 | Aluminum
N° 130136045 | Bronze-Leather
N° 130136135 | Bronze



d

Shoe rack 36" (914 mm)

Requires a 36" (914 mm) frame

Height of all: 6" (152 mm)

N° 132036010 | Aluminum
N° 132036135 | Bronze



e

Wood divider for drawer N° 1304

Perfect for organizing your belts, ties and scarves

30" (762 mm)

N° 130730010 | Gray
N° 130730032 | Brown

36" (914 mm)

N° 130736010 | Gray
N° 130736032 | Brown



f

Pull-out metal drawer

Requires a 30" or 36" (762 ou 914 mm) frame

For a 30" (762 mm) frame

Required height 3 1/4" (82 mm)

N° 130430010 | Aluminum
N° 130430135 | Bronze

Required height 4" (101 mm)

N° 130530010 | Aluminum
N° 130530135 | Bronze

Required height 6" (152 mm)

N° 130630010 | Aluminum
N° 130630135 | Bronze

For a 36" (914 mm) frame

Required height 3 1/4" (82 mm)

N° 130436010 | Aluminum
N° 130436135 | Bronze

Required height 4" (101 mm)

N° 130536010 | Aluminum
N° 130536135 | Bronze

Required height 6" (152 mm)

N° 130636010 | Aluminum
N° 130636135 | Bronze



e

Wood divider for drawer N° 1304

Perfect for organizing your belts, ties and scarves

30" (762 mm)

N° 130730010 | Gray
N° 130730032 | Brown

36" (914 mm)

N° 130736010 | Gray
N° 130736032 | Brown



Aluminum



Bronze



Bronze-Leather



g

Rod kit, includes rod, 2 supports and 2 screws


Installation from the top

W 28 15/16" (735 mm)

N° 132130010 | Aluminum
N° 132230135 | Bronze

W 35" (890 mm)

N° 132136010 | Aluminum
N° 132236135 | Bronze



h

Not shown on page 2

Mirror with aluminum
frame, slides out and
rotates, 1 9/16" (40 mm)
thickness.

Minimal interior
depth required:
18 1/2" (470 mm)

Available in aluminum
finish only

N° 131100195 |
WxH 13 3/8" x 55 1/8"
(340 mm x 1.4 m)

For pictures "b" to "f": accessory presented with the frame.
Bronze and bronze-leather products are perfectly compatible.

*

Please refer to pages 17 to 19 for rod options.

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

MILANO

The aluminum color will convey an **avant-garde** style to your closet and will match both traditional and contemporary decors.

Aluminum

Milano Aluminum is a range of sliding baskets with a variety of accessories (baskets, racks for pants, skirts, shoes, shirts, etc.) that let you design your perfect wardrobe, all with a unique style! The slides (not included) are the partial-extension type with soft closing. In addition, the sliding and pivoting mirror slips quickly inside the cabinet after use.



Designed for
cabinets of
900 mm interior
width and 525 mm
interior depth

(imperial conversion is for
informational purposes only).

For a complete set,
order a frame
N° 130000010,
partial-extension slides
N° 550H5000B, plus
the accessory (b to g)
to insert into the frame.

The dimensions given
in the tables shown
here represent the
interior dimensions
required for installation.
In planning, please
also consider the space
required for the garments
you will store using
these accessories
(eg, length of
the skirts, shoes).



a
Aluminum frame for interior width of 900 mm (35 7/16")
and minimum depth of 525 mm (20 5/8")
Slide N° 550H5000B (1 pair) is required

N° 130000010 | WxDxH 882 x 505 x 43 mm (34 3/4" x 19 7/8" x 1 11/16")



b
Fabric basket, gray, set of 2
Frame N° 130000010 and slide N° 550H5000B are required
Required height: 381 mm (15")

N° 130900100 | WxDxH 440 x 408 x 300 mm (17 5/16" x 16 1/16" x 11 13/16")



c
Aluminum rack for pants and skirts
Frame N° 130000010 and slide N° 550H5000B are required
Required height: 76 mm (3")

N° 131100010 | WxDxH 817 x 440 x 20 mm (32 3/16" x 17 5/16" x 13/16")



d
Aluminum rack for pants
Frame N° 130000010 and slide N° 550H5000B are required
Required height: 76 mm (3")

N° 130100010 | WxDxH 817 x 440 x 20 mm (32 3/16" x 17 5/16" x 13/16")

Not shown on page 4



e
Metal drawers
Frame N° 130000010 and slide N° 550H5000B are required
Required height 82 mm (3 1/4") N° 130400010 | Aluminum
Required height 101 mm (4") N° 130500010 | Aluminum
Required height 152 mm (6") N° 130600010 | Aluminum



f
Wood partitions for drawer N° 550H5000B
Perfect for organizing your belts, ties and scarves

N° 130700000 | Gray



Mirror with aluminum
frame, slides out
and rotates,
40 mm (1 9/16") thickness.
Minimal interior depth
required: 470 mm (18 1/2")

N° 131100195
WxH 340 mm x 1.4 m
(13 3/8" x 55 1/8")



h
Drawers available in maple, nordic birch, birch, cherry,
red oak, black walnut

Special order: please visit our web site

For pictures "b" to "f": accessory presented with the frame.



Please refer to pages 17 to 19 for rod options.

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

KAMO

This extensive line of closet accessories combines **elegance** and **organization** in your closet.

Kamo product line offers accessories for all essential storage needs. Mocha – dark brown color matches with traditional style decors as well as contemporary.



Suitable for 762 mm
of interior width application,
with 25 mm adjustment on
each side.

Minimum depth required
of 475 mm.

(imperial conversion is for
informational purposes only).

- Easy to order,
1 code = 1 complete set
- Full-extension slides
equipped with
soft-close mechanism
- Weight capacity
of 30 kg (66 lb)



a

Pull-out basket
Adjustable width

N° 412180060 | Mocha
WxDxH 762 to 812 x 475 x 220 mm (30" to 32" x 18³/₄" x 8⁵/₈")



b

Pull-out drawer
Adjustable width

N° 412080060 | Mocha
WxDxH 762 to 812 x 475 x 150 mm (30" to 32" x 18³/₄" x 5⁷/₈")



c

Sliding pant support
Adjustable width

N° 412280060 | Mocha
WxDxH 762 to 812 x 475 x 60 mm (30" to 32" x 18³/₄" x 2³/₈")

Not shown on page 6



d

Sliding pant support
Adjustable width

N° 412380060 | Mocha
WxDxH 762 to 812 x 475 x 140 mm (30" to 32" x 18³/₄" x 5¹/₂")



g

Mirror with mocha aluminum frame
and 2 trays, slides out and rotates.
Min. required depth :
430 mm (17 15/16")
2 pocket trays
N° 3103113060 | WxDxH
170 x 415 x 1130 mm
(6¹¹/₁₆" x 16³/₈" x 44¹/₂")



e

Sliding shoe rack
Required height : 220 mm (8²¹/₃₂")

N° 412680060 | Mocha
WxDxH 762 to 812 x 475 x 180 mm (30" to 32" x 18³/₄" x 7³/₃₂")



f

Storage drawer, velvet interior
Perfect for jewels, belts and ties

N° 411780060 | Mocha
WxDxH 762 to 812 x 475 x 80 mm (30" to 32" x 18³/₄" x 3¹/₈")

Not shown on page 6



h

Rectangular rod (cuttable to size)

N° 1310312060 | LxWxH 3 m x 12 x 33 mm (9'-10" x 1/2" x 1³/₈")



i

Top mounting support

N° 2333121060 | Central support
N° 2323121060 | End support
H 75 mm (2⁷/₈")

j

Side mounting support

N° 2323120060



k

Valet pull-out rod
Not shown on page 14
N° 4307113060 | D 175 mm (6⁷/₈")

Not shown on page 6



l

Scarf and tie sliding support - 9 hooks

N° 4310113060 | D 160 mm (2³/₈")

Not shown on page 6



m

Pull-down rod

N° 210183060 | Adjustable width: 600 to 830 mm (23⁵/₈" to 32¹¹/₁₆")
Capacity: 22 lb (10 kg)

Not shown on page 6

* Please refer to pages 17 to 19 for rod options.

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

ORLANDO

A range of closet accessories in aluminum to cover all your storage and organization needs. The **perfect, functional** solution!

With its sliding baskets in different widths and heights, jewelry drawers, laundry baskets, retractable rod... this series is one of the most comprehensive on the market. The pull-out baskets are equipped with full-extension slides, to allow complete and ergonomic access to your items.



Designed for cabinets
of 18", 24" and 30"
interior width and
14" interior depth

(metric conversion is for
informational purposes only).

It is recommended
to use the *Orlando*
collection with
doorless cabinets.

All products are
delivered **complete**
and ready to install
(frame, slides, baskets,
etc. are included).

The dimensions
indicated are installation
dimensions (the product
can exceed on the front
of the cabinet due to
the handle).




a Pull-out metal basket

N° 141318106 | WxDxH 18" x 14" x 5^{5/8}" (457 x 356 x 143 mm)
N° 141324106 | WxDxH 24" x 14" x 5^{5/8}" (610 x 356 x 143 mm)
N° 141330106 | WxDxH 30" x 14" x 5^{5/8}" (762 x 356 x 143 mm)
N° 141618106 | WxDxH 18" x 14" x 10" (457 x 356 x 254 mm)
N° 141624106 | WxDxH 24" x 14" x 10" (610 x 356 x 254 mm)
N° 141630106 | WxDxH 30" x 14" x 10" (762 x 356 x 254 mm)



b Pull-out fabric basket

N° 142518034 | WxDxH 18" x 14" x 11" (457 x 356 x 279 mm)
N° 142524034 | WxDxH 24" x 14" x 11" (610 x 356 x 279 mm)
N° 142530034 | WxDxH 30" x 14" x 11" (762 x 356 x 279 mm)
N° 145124034 | WxDxH 24" x 14" x 19" (610 x 356 x 482 mm)
N° 145130034 | WxDxH 30" x 14" x 19" (762 x 356 x 482 mm)




c Pull-out rack for pants and skirts, aluminum finish

N° 145518106 | WxDxH 18" x 14" x 2" (457 x 356 x 51 mm)
N° 145524106 | WxDxH 24" x 14" x 2" (610 x 356 x 51 mm)
N° 145530106 | WxDxH 30" x 14" x 2" (762 x 356 x 51 mm)



d Pull-out jewel compartment, wood and velvet with
a walnut and gray finish

N° 146218100 | WxDxH 18" x 14" x 2^{1/4}" (457 x 356 x 57 mm)
N° 146224100 | WxDxH 24" x 14" x 2^{1/4}" (610 x 356 x 57 mm)
N° 146230100 | WxDxH 30" x 14" x 2^{1/4}" (762 x 356 x 57 mm)



e Pull-out shoe rack, silver finish

N° 144524106 | WxDxH 24" x 14" x 6^{5/8}" (610 x 356 x 168 mm)
N° 144530106 | WxDxH 30" x 14" x 6^{5/8}" (762 x 356 x 168 mm)



f Pull-down lift c/w hydraulic spring, aluminum

N° 1111106 | W 17^{3/4}" to 23^{5/8}" (450 to 600 mm), cap. of 17.6 lb (8 kg)
N° 1122106 | W 23^{5/8}" to 32^{11/16}" (600 to 830 mm), cap. of 22 lb (10 kg)
N° 1133106 | W 32^{11/16}" to 45^{1/4}" (830 mm to 1.15 m), cap. of 26 lb (12 kg)



g Pull-out hanger support, extends to 9^{1/2}" (240 mm)

N° 1166010 | D 14" (356 mm), aluminum finish
N° 1166060 | D 14" (356 mm), brown



h Pull-out hanger support

N° 1491010 | D 14" (356 mm), aluminum finish
N° 1491060 | D 14" (356 mm), brown



i Not shown on page 8

Rack for 6 belts
N° 1408310 | D 14" (356 mm) | Aluminum finish
N° 14083060 | D 14" (356 mm) | Brown



j Not shown on page 8

Rack for 6 scarves, aluminum finish
N° 1408510 | D 14" (356 mm)



k Not shown on page 8

Rack for 18 ties
N° 1408110 | D 14" (356 mm) | Aluminum finish
N° 14081060 | D 14" (356 mm) | Brown

★ Please refer to pages 17 to 31 for accessories, supports and rods.

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

LOGO

The **versatility** of *Logo* allows you to create a **wide range** of designs for closet, home entertainment, office, kitchen or retail displays.

This versatile system consists of solid aluminum extrusions that can be mounted from floor to ceiling or from floor to wall. Logo offers a range of brackets to mount shelves, case goods or closet rods. Adapters are also available for a great selection of closet accessories.





a
Adjustable leveler,
aluminum finish
ØxH 23/8"x 23/16" (60 x 55 mm)
Included with N° 871503010 and N° 871532610 extrusions



b
Wall and ceiling connector,
aluminum finish
WxD 1"x 23/16" (25 x 55 mm)
Included with N° 871503010 and N° 871532610 extrusions



c Not shown on page 10

Aluminum extrusion, straight
Connector and leveler included

N° 871503010 | WxDxH 1"x 23/16" x 118" (25 x 55 mm x 3 m)




d

Aluminum extrusion, 90 degrees
Connector and leveler included

N° 871532610 | WxDxH 10 13/16" x 23/16" x 102 3/8" (275 x 55 mm x 2.6 m)

Max. height
N° 871503010: 3 m
N° 871532610: 2.6 m
Max. depth: 500 mm
Max. width between
2 profiles: 800 mm
(imperial conversion is for
informational purposes only).



e
Wood shelf support with adjustable angle, aluminum finish

N° 715450010 | W 7 9/16" (192 mm)



f
Support for oval rods, aluminum finish
N° 715915180 | WxH 1 13/16" x 1 7/8" (46 x 48 mm)

Ridged oval rod, aluminum finish
N° D030201210 | W 144" (3.7 m)



g
Cabinet support, aluminum finish

N° 715840180 | WxDxH 1 5/8" x 2 13/16" x 2 3/16" (42 x 55 x 68 mm)



h
Glass shelf support, aluminum finish

N° 64019210 | W 7 9/16" (192 mm)

The aluminum profiles
can be recut to size.
The wooden or glass
shelves and the drawer
boxes are to be
manufactured by
the customer.



Pull-out wardrobe
lift adapter
N° 716800180



i
Pull-out wardrobe lift, black and aluminum

N° 6008390 | Adjustable width from 23 5/8" - 32 11/16" (600 - 830 mm)
capacity: 22 lb (10 kg)

N° 8311590 | Adjustable width from 32 11/16" - 45 1/4" (830 mm - 1.15 m)
capacity: 22 lb (10 kg)

★ Please refer to pages 17 to 31 for accessories, supports and rods.

LOGO II

Available in 2 trendy finishes:
aluminum and brown, this
90° angled profile system
is suitable everywhere in the house:
closet, living room, hallway etc.

90° ANGLED PROFILE

Logo II is an aluminum profile system with 90° angled standards
designed to hang wood shelf supports, closet rods and cabinets.
Many accessories are available for countless configurations!



Max. height: 2.5 m
 Max. depth: 500 mm
 Max. width between
 2 profiles: 800 mm
 (imperial conversion is for
 informational purposes only).

- Profiles are sold in lengths of 2.5 m (8') and can be cut to size
- At least 2 profiles are needed to build a single basic section
- Each set of profile includes the standard, a leveler and wall-mounting brackets
- Load capacity: 15 kg (33 lb)

Logo II accessories are the same as for Logo V.



a

Set of profile and wall-mounting hardware
 WxDxH 20 x 75 x 2.5 m (3/4" x 2 15/16" x 98 3/8")

N° 872050010 | Aluminum
 N° 872050060 | Brown



b

Wood shelf supports, pair
 WxDxH 25 x 220 x 25 mm (1" x 8 1/2" x 1")

N° 875220010 | Aluminum
 N° 875220060 | Brown



c

Oval rod supports, pair
 WxDxH 25 x 222 x 25 mm (1" x 8 3/4" x 1")

N° 875232610 | Aluminum
 N° 875232660 | Brown



d

Not shown on page 12

Glass shelf supports, pair
 WxDxH 25 x 300 x 30 mm (1" x 11 3/4" x 1 3/16")

N° 875242210 | Aluminum
 N° 875242260 | Brown



e

Cabinet/shelf supports, pair
 WxDxH 25 x 450 x 25 mm (1" x 17 3/4" x 1")

N° 875224510 | Aluminum
 N° 875224560 | Brown



f

Not shown on page 12

Fixing plates for cabinet bottom, pair
 WxDxH 25 x 43 x 5 mm (1" x 1 11/16" x 3/16")

N° 875420010 | Aluminum
 N° 875420060 | Brown



g

Not shown on page 12

Angular wall fixing brackets, pair
 WxDxH 30 x 60 x 60 mm
 (1 3/16" x 2 1/4" x 2 1/4")

N° 875263010 | Aluminum
 N° 875263060 | Brown



h

Oval rod
 LxDxH 3 m x 15 x 30 mm
 (9'-10" x 19/32" x 1 3/16")

N° 875300010 | Aluminum
 N° 875300060 | Brown



i

Cover caps for oval rod

N° 875153010 | Aluminum
 N° 875153060 | Brown

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

LOGO V

Available in 2 trendy finishes:
aluminum and brown, this
straight profile system
is suitable everywhere in the house:
closet, living room, hallway etc.

STRAIGHT PROFILE

Logo V is an aluminum profile system with straight standards
designed to hang wood shelf supports, closet rods and cabinets.
Many accessories are available for countless configurations!



Max. height: 2.5 m
Max. depth: 500 mm
Max. width between
2 profiles: 800 mm
(imperial conversion is for
informational purposes only).



a

Set of profile and wall-mounting hardware
WxDxH 20 x 75 x 2.5 m (3/4" x 2 15/16" x 98 3/8")

N° 875250010 | Aluminum
N° 875250060 | Brown



b

Wood shelf supports, pair
WxDxH 25 x 220 x 25 mm (1" x 8 1/2" x 1")

N° 875220010 | Aluminum
N° 875220060 | Brown

- Profiles are sold in lengths of 2.5 m (8') and can be cut to size
- At least 2 profiles are needed to build a single basic section
- Each set of profile includes the standard, a leveler and wall-mounting brackets
- Load capacity: 15 kg (33 lb)

Logo V accessories are the same as for Logo II.



c

Not shown on page 14

Oval rod supports, pair
WxDxH 25 x 222 x 25 mm (1" x 8 3/4" x 1")

N° 875232610 | Aluminum
N° 875232660 | Brown



d

Not shown on page 14

Glass shelf supports, pair
WxDxH 25 x 300 x 30 mm (1" x 11 3/4" x 1 3/16")

N° 875242210 | Aluminum
N° 875242260 | Brown



e

Cabinet/shelf supports, pair
WxDxH 25 x 450 x 25 mm (1" x 17 3/4" x 1")

N° 875224510 | Aluminum
N° 875224560 | Brown



f

Not shown on page 14

Fixing plates for cabinet bottom, pair
WxDxH 25 x 43 x 5 mm (1" x 1 11/16" x 3/16")

N° 875420010 | Aluminum
N° 875420060 | Brown



g

Not shown on page 14

Angular wall fixing brackets, pair
WxDxH 30 x 60 x 60 mm (1 3/16" x 2 1/4" x 2 1/4")

N° 875263010 | Aluminum
N° 875263060 | Brown

Not shown on page 14

h

Oval rod
LxDxH 3 m x 15 x 30 mm (9'-10" x 19/32" x 1 3/16")

N° 875300010 | Aluminum
N° 875300060 | Brown

Not shown on page 14

i

Cover caps for oval rod

N° 875153010 | Aluminum
N° 875153060 | Brown

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

CAVARE

Discreet and elegant
sliding shelf system

The minimalist design of Cavare sliding shelves makes them a perfect fit in any room of your home. Plus, the system's bold urban look keeps pace with the current trend in interior organizational systems. These sturdy steel shelves are thin and streamlined, offering superior access and visibility.

Interior dimensions
required for installation:
Maximum depth of
500 mm and minimum
height of 130 mm.

(imperial conversion is for
informational purposes only).



Pull-out shelf system, pair, aluminum gray
(Slides N° 818500 must be ordered separately)

N° 2131110 | WxDxH 412 to 418 x 500 x 130 mm
(16^{1/4"} to 16^{1/2"} x 19^{3/4"} x 5^{1/8"})

N° 2131710 | WxDxH 562 to 568 x 500 x 130 mm
(22^{1/8"} to 22^{3/8"} x 19^{3/4"} x 5^{1/8"})

N° 2132310 | WxDxH 862 to 868 x 500 x 130 mm
(33^{15/16"} to 34^{3/16"} x 19^{3/4"} x 5^{1/8"})



Additional shelf, aluminum gray

N° 21449110 | WxDxH 534 x 226 x 160 to 164 mm
(21^{1/32"} x 8^{29/32"} x 6^{5/16"} to 6^{15/32"})

N° 21455110 | WxDxH 834 x 226 x 160 to 164 mm
(17^{1/4"} x 8^{29/32"} x 6^{5/16"} to 6^{15/32"})



Magnetic divider, aluminum gray
Thickness: 7 mm (9/32")
Height: 38 mm (1^{1/2"})

N° 21463110 | W 207 mm (8^{5/32"})

N° 21464110 | W 232 mm (9^{1/8"})

N° 21470110 | W 382 mm (15")

N° 21472110 | W 432 mm (17")

N° 21476110 | W 532 mm (21")

N° 21482110 | W 832 mm (32^{3/4"})



Lina pant rack, aluminum gray

Includes 9 hangers

N° 21430110 | WxDxH 440 x 520 x 90 mm (17^{1/4"} x 20^{1/2"} x 3^{1/2"})

Set of 3 additional hangers for Lina pant rack, dark gray
N° 6365110

HEAVY-GAUGE PULL-OUT BASKETS



Heavy-gauge pull-out baskets

Depth 12" (306 mm)

Chrome

1 unit*

N° CB181207CR1
N° CB181211CR1
N° CB181218CR1
N° CB241207CR1
N° CB241211CR1
N° CB241218CR1
N° CB301207CR1
N° CB301211CR1
N° CB301218CR1

Depth 14" (356 mm)

Chrome

1 unit*

N° CB181407CR1
N° CB181411CR1
N° CB181418CR1
N° CB241407CR1
N° CB241411CR1
N° CB241418CR1
N° CB301407CR1
N° CB301411CR1
N° CB301418CR1

Oil-rubbed bronze

1 unit*

N° CB181407ORB1
N° CB181411ORB1
N° CB181418ORB1
N° CB241407ORB1
N° CB241411ORB1
N° CB241418ORB1
N° CB301407ORB1
N° CB301411ORB1
N° CB301418ORB1

Satin nickel

1 unit*

N° CB181407SN1
N° CB181411SN1
N° CB181418SN1
N° CB241407SN1
N° CB241411SN1
N° CB241418SN1
N° CB301407SN1
N° CB301411SN1
N° CB301418SN1

WxH

18" x 7" (457 x 178 mm)
18" x 11" (457 x 280 mm)
18" x 18" (457 x 457 mm)
24" x 7" (610 x 178 mm)
24" x 11" (610 x 280 mm)
24" x 18" (610 x 457 mm)
30" x 7" (762 x 178 mm)
30" x 11" (762 x 280 mm)
30" x 18" (762 x 457 mm)

*To order a set of 3 units, replace the "1" at the end of the code by a "3"



Plastic liners for 14" (356 mm) deep pull-out baskets only, translucent finish

N° CBM181407P1 | For 18" (457 mm) wide baskets
N° CBM241407P1 | For 24" (610 mm) wide baskets
N° CBM301407P1 | For 30" (762 mm) wide baskets



Cloth hamper bag for pull-out baskets, black finish

N° CHB21414181 | For 24" (610 mm) wide baskets

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

CLOSET RODS

ALUMINUM OVAL rods



Oval rod
LxDxH 3 m x 15 x 30 mm
(9'-10" x 19/32" x 1 3/16")

N° 875300010 | Aluminum
N° 875300060 | Brown

ALUMINUM OVAL rods



Material thickness:
0.06" (1.5 mm), 16 gauge

Length: 8' (2.44 m)
Dimensions: 1 1/8" x 5/8"
(30 x 15 mm)

N° 1108315900 | Matte black
N° 1108315184 | Matte nickel
N° 1108315174 | Matte chrome
N° 1108315160 | Matte brass
N° 11083150RB | Oil-rubbed bronze

Supports for ALUMINUM OVAL rods, screws included



Type: open
Mount: 5 mm pin

N° 2113150160 | Matte brass
N° 2113150174 | Matte chrome
N° 2113150184 | Matte nickel
N° 2113150900 | Matte black
N° 21131500RB | Oil-rubbed bronze



Type: open
Mount: screw


N° 2123150160 | Matte brass
N° 2123150174 | Matte chrome
N° 2123150184 | Matte nickel
N° 2123150900 | Matte black
N° 21231500RB | Oil-rubbed bronze



Type: closed
Mount: screw
Center support

N° 2133150160 | Matte brass
N° 2133150174 | Matte chrome
N° 2133150184 | Matte nickel
N° 2133150900 | Matte black
N° 21331500RB | Oil-rubbed bronze

OVAL rods



RIDGED OVAL rod

N° D030201210 | Satin aluminum
LxDxH 144" x 9/16" x 13/16"
(3.7 m x 15 x 28 mm)

OVAL rod
Material thickness:
1/32" (0.6 mm)

N° 170328180 | Nickel
LxDxH 118" x 9/16" x 13/16"
(3 m x 15 x 28 mm)

Supports for OVAL rods



Type: open
Mount: screw

N° 83390510 | Aluminum
N° 7837180 | Nickel



Closed end support
Height adjustable

N° 15103140 | Chrome



Type: closed
Mount: screw
Center support
Height adjustable

N° 15104140 | Chrome

STEEL OVAL rods



Material thickness:
0.39" (1 mm), 20 gauge

Dimensions: 1 1/8" x 5/8"
(30 x 15 mm)
Finish: chrome

N° 1108315140 | 8' (2.44 m)
N° 1112315140 | 12' (3.66 m)

Chrome supports for STEEL OVAL rods, screws included



Type: open
Mount: 5 mm pin

N° 2113150140



Type: open
Mount: screw


N° 2123150140



Type: closed
Mount: screw
Center support

N° 2133150140

We recommend using a central support for all rods over 24" (610 mm) long.

TELESCOPIC rods		STEEL ROUND rods		Chrome supports for STEEL ROUND rods, screws included	
					
Ø 1" (25 mm) Zinc N° 18302G 18"- 30" (457 - 762 mm) N° 30482G 30"- 48" (762 mm - 1.2 m) N° 48722G 48"- 72" (1.2 - 1.8 m) N° 72962G 72"- 96" (1.8 - 2.4 m) White N° 304830 30"- 48" (762 mm - 1.2 m) N° 487230 48"- 72" (1.2 - 1.8 m)		Material thickness: 0.47" (1.2 mm), 18 gauge Finish: chrome Ø 1" (25 mm) N° 1210008140 8' (2.44 m) N° 1210012140 12' (3.66 m) Ø 1 1/4" (32 mm) N° 1212508140 8' (2.44 m) N° 1212512140 12' (3.66 m)		Type: open Mount: screw N° 2210002140 Ø 1" (25 mm) N° 2212502140 Ø 1 1/4" (32 mm) Type: closed Mount: screw N° 2210012140 Ø 1" (25 mm) N° 2212512140 Ø 1 1/4" (32 mm)	
STEEL HEAVY DUTY ROUND rods		Chrome supports for STEEL HEAVY DUTY ROUND rods, Ø 1 1/16" (27 mm), screws included			
					
Material thickness: 0.79" (2 mm), 14 gauge Finish: chrome Ø 1 1/16" (27 mm) N° 1211608140 8' (2.44 m) N° 1211612140 12' (3.66 m) Ø 1 5/16" (34 mm) N° 1215608140 8' (2.44 m) N° 1215612140 12' (3.66 m)		Type: open Mount: screw N° 2211602140 Type: closed Mount: screw N° 2211612140		Type: closed Mount: screw Center support N° 2211603140	
Chrome supports for STEEL HEAVY DUTY ROUND rods, Ø 1 5/16" (34 mm), screws included					
					
Type: open Mount: 5 mm pin N° 2215601140		Type: closed Mount: 5 mm pin N° 2215611140		Type: open Mount: screw N° 2215602140 Type: closed Mount: screw N° 2215612140	
					
				Type: closed Mount: screw Center support N° 2215603140	
ALUMINUM round rods		Supports for ALUMINUM ROUND rods, screws included			
					
Material thickness: 0.08" (2 mm), 14 gauge Ø 1 5/16" (34 mm) Length: 8' (2.44 m) N° 1215608900 Matte black N° 1215608184 Matte nickel N° 1215608174 Matte chrome N° 1215608160 Matte brass N° 12156080RB Oil-rubbed bronze		Type: open Mount: 5 mm pin N° 2215601160 Matte brass N° 2215601174 Matte chrome N° 2215601184 Matte nickel N° 2215601900 Matte black N° 22156010RB Oil-rubbed bronze		Type: closed Mount: 5 mm pin N° 2215611160 Matte brass N° 2215611174 Matte chrome N° 2215611184 Matte nickel N° 2215611900 Matte black N° 22156110RB Oil-rubbed bronze	
					
		Type: open Mount: screw N° 2215602160 Matte brass N° 2215602174 Matte chrome N° 2215602184 Matte nickel N° 2215602900 Matte black N° 22156020RB Oil-rubbed bronze		Type: closed Mount: screw N° 2215612160 Matte brass N° 2215612174 Matte chrome N° 2215612184 Matte nickel N° 2215612900 Matte black N° 22156120RB Oil-rubbed bronze	
					
				Type: closed Mount: screw Center support N° 2215603160 Matte brass N° 2215603174 Matte chrome N° 2215603184 Matte nickel N° 2215603900 Matte black N° 22156030RB Oil-rubbed bronze	

We recommend using a central support for all rods over 24" (610 mm) long.

CLOSET RODS



Rod kit, includes rod, 2 supports and 2 screws
Installation from the top

W 28^{15/16"} (735 mm)
N° 132130010 | Aluminum
N° 132230135 | Bronze

W 35" (890 mm)
N° 132136010 | Aluminum
N° 132236135 | Bronze



Rectangular rod
(cuttable to size)

N° 1310312060 | LxWxH 9'-10" x 1^{3/8"}
(3 m x 12 x 33 mm)



Top mounting support
N° 2333121060 | Central support
N° 2323121060 | End support
H 75 mm (2^{7/8"})



Side mounting support
N° 2323120060

RECTANGULAR rod

Supports for RECTANGULAR rods

ALUMINUM HOURGLASS rods

Supports for ALUMINUM HOURGLASS rods



LxDxH 94^{1/2"} x 3/8" x 1"
(2.4 m x 10 x 25 mm)

N° 25102010 | Aluminum
N° 25102140 | Chrome



Central support for
N° 25102010 and
N° 251020140

N° 86700010 | Aluminum
N° 86700140 | Chrome



Closed end support for
N° 25102010 and
N° 251020140

N° 85700010 | Aluminum
N° 85700140 | Chrome



Material thickness:
0.07" (1.8 mm), 15 gauge

Length: 8' (2.44 m)
Dimensions: 1^{1/4"} x 7/8"
(31 x 22 mm)

N° 1432208174 | Matte chrome
N° 1432208184 | Matte nickel
N° 14322080RB | Oil-rubbed bronze



Type: closed (2 pieces)
Mount: 5 mm pin

N° 2432212174 | Matte chrome
N° 2432212184 | Matte nickel
N° 24322120RB | Oil-rubbed bronze

We recommend using a central support for all rods over 24" (610 mm) long.

PULL-DOWN CLOSET LIFTS



Pull-down wardrobe lift,
black and aluminum

N° 6008390 | Adjustable width from
23^{5/8"} - 32^{11/16"}
(600 - 830 mm)
Capacity: 22 lb (10 kg)

N° 8311590 | Adjustable width from
32^{11/16"} - 45^{1/4"}
(830 mm - 1.15 m)
Capacity: 22 lb (10 kg)



Pull-down lift c/w hydraulic spring, aluminum

N° 1111106 | W 17^{3/4"} to 23^{5/8"} (450 to 600 mm), cap. of 17.6 lb (8 kg)
N° 1122106 | W 23^{5/8"} to 32^{11/16"} (600 to 830 mm), cap. of 22 lb (10 kg)
N° 1133106 | W 32^{11/16"} to 45^{1/4"} (830 mm to 1.15 m), cap. of 26 lb (12 kg)



Pull-down wardrobe lift, aluminum and black

N° 65115180 | WxH : 25^{9/16"} - 45^{1/4"} (650 mm - 1.2 m) x 34^{5/8"} (880 mm),
capacity: 11 lb (5 kg)




Pull-down closet rod for wall cabinet, chrome and black

N° CPDR1826 | WxDxH 18" to 26" x 4" x 33" (546 to 660 x 355 x 838 mm)
N° CPDR2635 | WxDxH 26" to 35" x 4" x 33" (660 to 889 x 355 x 838 mm)
N° CPDR3548 | WxDxH 35" to 48" x 4" x 33" (889 to 1219 x 355 x 838 mm)

VALET RODS




Valet rods
Depth closed 12" (305 mm) with 8 1/2" (216 mm) extension.
H 1 3/4" (44 mm)
N° 28012140 Polished chrome
N° 28012160 Matte brass
N° 28012174 Matte chrome
N° 28012184 Matte nickel
N° 280120RB Oil-rubbed bronze
N° 28012130 Polished brass




Rotating clothes hook, nickel

N° 131500195 ØxW 50 mm x 4 1/8" (105 mm)



Pull-out hanger support, chrome

N° 5003140 WxDxH 1 9/16" x 9 1/2" x 11 1/4" (40 x 242 x 285 mm)



Pull-out clothes rack, nickel

N°131400195 ØxW 20 mm x 3 9/16" (90 mm)



Pull-out hanger support, ball-bearing slides
(partial extension), aluminum finish

N° 93800110 WxDxH 80 x 470 x 123 mm (3 1/8" x 18 1/2" x 4 13/16")




Standard valet rod
Depth closed 11 7/8" (302 mm), depth open 17 7/8" (434 mm)

N° CVL12CR Chrome
N° CVL120RB Oil-rubbed bronze
N° CVL12SN Satin nickel



Designer valet rod
Depth closed 2 1/2" (62 mm), H 1 7/8" (46 mm)
D 1 17/8" (302 mm) D 1 47/8" (353 mm)
N° CVR12CR Chrome N° CVR14CR Chrome
N° CVR120RB Oil-rubbed bronze N° CVR140RB Oil-rubbed bronze
N° CVR12SN Satin nickel N° CVR14SN Satin nickel



Valet rod
W 12 3/4" (324 mm)

N° 80PC Chrome
N° 80PB Brass



Insert valet rod, drilling depth: 7" (178 mm)
Option: drill guide N° CVRIDG
Depth closed 3 3/4" (95 mm), depth open 7 3/8" (187 mm)
N° CVR17CR Chrome
N° CVR170RB Oil-rubbed bronze
N° CVR17SN Satin nickel

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

BELT AND TIE RACKS




Belt and scarf organizers
WxH 3 1/4" x 2" (83 x 51 mm)

D 11 7/8" (302 mm)	D 14 7/8" (353 mm)
N° CBSR12CR Chrome	N° CBSR14CR Chrome
N° CBSR12ORB Oil-rubbed bronze	N° CBSR14ORB Oil-rubbed bronze
N° CBSR12SN Satin nickel	N° CBSR14SN Satin nickel



Pull-out tie/scarf organizers
WxH 3" x 3" (76 x 76 mm)

D 11 7/8" (302 mm)	D 14 7/8" (353 mm)
N° CTR12CR Chrome	N° CTR14CR Chrome
N° CTR12ORB Oil-rubbed bronze	N° CTR14ORB Oil-rubbed bronze
N° CTR12SN Satin nickel	N° CTR14SN Satin nickel



Side mount tie racks,
WxH 2 1/2" x 1 7/8" (62 x 46 mm)

D 12" (305 mm)	D 14" (356 mm)
N° TRC12CR Chrome	N° TRC14CR Chrome
N° TRC12ORB Oil-rubbed bronze	N° TRC14ORB Oil-rubbed bronze
N° TRC12SN Satin nickel	N° TRC14SN Satin nickel



Side mount belt racks
WxH 2 1/4" x 2 5/16" (57 x 59 mm)

D 12" (305 mm)	D 14" (356 mm)
N° BRC12CR Chrome	N° BRC14CR Chrome
N° BRC12ORB Oil-rubbed bronze	N° BRC14ORB Oil-rubbed bronze
N° BRC12SN Satin nickel	N° BRC14SN Satin nickel



Tie/belt rack, chrome

N° TBC14TCR | WxDxH 6" x 5" x 14" (152 x 127 x 356 mm)



Tie racks - solid wood
WxDxH 5 x 3 3/8" x 13 7/8" (127 x 86 x 353 mm)

N° CWTR141 | Natural
N° CWTR14W1 | White
N° CWTR14B1 | Black



Belt rack, W 2 1/2" (62 mm)

D 12" (305 mm), 6 hooks	D 14" (356 mm), 6 hooks
N° 29212130 Polished brass	N° 29314130 Polished brass
N° 29212140 Polished chrome	N° 29314140 Polished chrome
N° 29212160 Matte brass	N° 29314174 Matte chrome
N° 29212174 Matte chrome	N° 29314184 Matte nickel
N° 29212184 Matte nickel	
N° 292120RB Oil-rubbed bronze	



Sliding belt rack, W 2 1/2" (62 mm)

D 12" (305 mm), 7 hooks	D 14" (356 mm), 8 hooks
N° 49212130 Polished brass	N° 49314130 Polished brass
N° 49212140 Polished chrome	N° 49314140 Polished chrome
N° 49212174 Matte chrome	N° 49314174 Matte chrome
N° 49212184 Matte nickel	N° 49314184 Matte nickel
N° 492120RB Oil-rubbed bronze	N° 493140RB Oil-rubbed bronze



Sliding tie rack, W 2 1/2" (62 mm)

D 12" (305 mm), 13 hooks	D 14" (356 mm), 13 hooks
N° 29612130 Polished brass	N° 29714130 Polished brass
N° 29612140 Polished chrome	N° 29714140 Polished chrome
N° 29612160 Matte brass	N° 29714160 Matte brass
N° 29612174 Matte chrome	N° 29714174 Matte chrome
N° 29612184 Matte nickel	N° 29714184 Matte nickel
N° 296120RB Oil-rubbed bronze	



Tie rack, W 2 1/2" (62 mm)

D 12" (305 mm), 12 hooks	D 14" (356 mm), 13 hooks
N° 49612130 Polished brass	N° 49714130 Polished brass
N° 49612140 Polished chrome	N° 49714140 Polished chrome
N° 49612174 Matte chrome	N° 49714174 Matte chrome
N° 49612184 Matte nickel	N° 49714184 Matte nickel
N° 496120RB Oil-rubbed bronze	

BELT AND TIE RACKS



Pull-out wire belt and tie rack, ball-bearing slide, aluminum

N° 93800210 | WxDxH 7^{9/16"} x 18^{1/2"} x 4^{13/16"} (192 x 470 x 123 mm)



Pull-out wire belt and tie rack, ball-bearing slide, aluminum

N° 93803510 | WxDxH 5^{1/2"} x 20" x 3^{7/16"} (140 x 508 x 87 mm)



Pull-out belt and tie rack, ball-bearing slide, black

N° 93831190 | WxDxH 3^{9/16"} x 20" x 3^{7/16"} (90 x 508 x 87 mm)



Pull-out belt and tie double rack, ball-bearing slide, black

N° 93831290 | WxDxH 4^{5/16"} x 20" x 3^{7/16"} (110 x 508 x 87 mm)




Pull-out belt rack and storage tray for small items, ball-bearing slide, black

N° 93831490 | WxDxH 5^{1/8"} x 20" x 3^{7/16"} (130 x 508 x 87 mm)



Tie rack post, sold by unit

ØxW 3 mm x 2" (50 mm)
N° 150010140 | Chrome
N° 150010130 | Brass



Pull-out belt and tie rack, chrome

N° 4963140 | WxDxH
2^{15/16"} x 18" x 4^{5/8"}
(74 x 455 x 118 mm)



Belt and tie rack

WxH 14" x 1^{9/16"} (355 x 40 mm)
N° 1150030 | White
N° 1150090 | Black



Belt rack, chrome

N° 1077140 | WxDxH
2^{1/4"} x 13^{3/4"} x 1^{3/16"}
(57 x 350 x 30 mm)



Wooden sliding tie rack

N° CWTR24142 | WxDxH 24" x 14^{3/8"} x 6" (610 x 365 x 152 mm)



Pull-out tie rack, black, aluminum

N° 1615090 | D 3^{7/32"} (82 mm)



Lateral fixed tie rack, chrome

N° TRC12NSCR | WxDxH
1^{7/8"} x 11^{3/4"} x 1^{3/4"}
(48 x 298 x 45 mm)



Belt rack - solid wood, chrome, black

N° CWTBR14B1 | WxDxH
15" x 13^{7/8"} x 3^{3/8"}
(127 x 352 x 86 mm)

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

SKIRT AND PANT RACKS



Pull-out wire skirt and pant rack, ball-bearing slide, aluminum

N° 93800310 | WxDxH 13⁹/₁₆" x 18¹/₂" x 4¹³/₁₆" (345 x 470 x 123 mm)




Pull-out and folding wire skirt and pant rack, ball-bearing slide, aluminum

N° 93803710 | WxDxH 9¹³/₁₆" x 20" x 3⁷/₁₆" (250 x 508 x 87 mm)



Pull-out pant rack, white

N° 93601230 | WxDxH 18⁵/₁₆" x 19⁷/₈" x 3¹⁵/₁₆" (465 x 505 x 100 mm)



Pull-out wire pant rack, chrome

N° 4961140 | WxDxH 18⁵/₁₆" x 19⁷/₈" x 3¹⁵/₁₆" (465 x 505 x 100 mm)



Lina pant rack, aluminum gray
Includes 9 hangers

N° 21430110 | WxDxH 17⁵/₁₆" x 20⁷/₈" x 6³/₈" (440 x 530 x 162 mm)
Set of 3 additional hangers for Lina pant rack, dark gray
N° 6365110




Pivoting fan pant rack, chrome

N° CPRF16CR2 | WxD 16 1/8" x 16 1/8" (410 x 410 mm)



Pull-out pant rack, chrome

N° PSC1814CR | WxDxH 17¹/₂" to 18¹/₈" x 14" x 3"
(445 to 461 x 356 x 76 mm) | Capacity: 9
N° PSC2414CR | W 23³/₄" to 24¹/₂" x 14" x 3"
(604 to 623 x 356 x 76 mm) | Capacity: 13
N° PSC3014CR | W 29³/₄" to 30¹/₂" x 14" x 3"
(756 to 775 x 356 x 76 mm) | Capacity: 16



Wooden pant rack

No CWPR24142 | WxDxH 24" x 14³/₈" x 6"
(610 x 365 x 152 mm)

No CWPR30142 | WxDxH 30" x 14³/₈" x 6"
(762 x 365 x 152 mm)



Revolving shoe system, black

N° 14807090 | Capacity 24 pairs
 WxDxH 31 1/2" x 14 3/8" x 39 3/8" (800 x 365 x 1000 mm)
 N° 14814090 | Capacity 54 pairs
 WxDxH 31 1/2" x 14 3/8" x 66 1/8" (800 x 365 x 1680 mm)

Panasonic



Rotating high-heeled shoe storage system
 Capacity 25 pairs

N° CLSZW5961 | Ø 18" (457 mm)
 H 96" to 103" (243 to 2586 mm)




Rotating flat shoe storage system
 Capacity 20 pairs

N° CLSZM5961 | Ø 18" (457 mm)
 H 96" to 103" (243 to 2586 mm)



Adjustable shoe rack, black

N° 56100180 | DxH 8 11/16" x 4" (221 x 102 mm),
 adjustable width from 22" - 39 3/8" (560 mm - 1 m)



SHOE ORGANIZERS



Shoe rack, clear acrylic

N° 241301111 | WxD 23 15/16" x 13 1/4" (608 x 349 mm)



Shelf gallery, chrome

N° 8802140 | WxH 13 11/16" x 1 9/16" (348 x 39 mm)
 N° 8803140 | WxH 15 11/16" x 1 9/16" (398 x 39 mm)
 N° 8805140 | WxH 21 19/16" x 1 9/16" (548 x 39 mm)



Wire shoe rails, 2 1/4" (57 mm) high
 Chrome

N° CSR17CR10 W 17" (432 mm)	N° CSR17ORB10 W 17" (432 mm)	N° CSR17SN10 W 17" (432 mm)
N° CSR23CR10 W 23" (584 mm)	N° CSR23ORB10 W 23" (584 mm)	N° CSR23SN10 W 23" (584 mm)
N° CSR29CR10 W 29" (737 mm)	N° CSR29ORB10 W 29" (737 mm)	N° CSR29SN10 W 29" (737 mm)
N° CSR35CR10 W 35" (889 mm)	N° CSR35ORB10 W 35" (889 mm)	N° CSR35SN10 W 35" (889 mm)

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

JEWELRY STORAGE



Jewelry compartments

N° 11120190 WxDxH 22" x 12^{11/16}" x 2" (557 x 323 x 50 mm), acrylic and black
 N° 11120270 WxDxH 22" x 12^{11/16}" x 2" (557 x 323 x 50 mm), acrylic and blue
 N° 17120190 WxDxH 28" x 12^{11/16}" x 2" (710 x 323 x 50 mm), acrylic and black
 N° 17120270 WxDxH 28" x 12^{11/16}" x 2" (710 x 323 x 50 mm), acrylic and blue



Velvet-lined jewelry tray

N° 21120190 WxDxH 22" x 12^{11/16}" x 2" (557 x 323 x 50 mm), black
 N° 21120170 WxDxH 22" x 12^{11/16}" x 2" (557 x 323 x 50 mm), blue
 N° 27120190 WxDxH 28" x 12^{11/16}" x 2" (710 x 323 x 50 mm), black
 N° 27120170 WxDxH 28" x 12^{11/16}" x 2" (710 x 323 x 50 mm), blue



Velvet jewelry drawer insert, black

N° CJD2415 WxDxH 22" x 13" x 1^{1/2}" (559 x 33 x 38 mm)



Jewelry tray

1/2" (13 mm) material
 Depth: 12^{5/8}" (321 mm)

N° KSJT1812 W 15^{7/8}" (403 mm)
 N° KSJT2412 W 21^{7/8}" (556 mm)
 N° KSJT3012 W 27^{7/8}" (708 mm)

Jewelry tray

3/4" (19 mm) material
 Depth: 12^{1/8}" (308 mm)

N° KSJT1834 W 15^{3/8}" (391 mm)
 N° KSJT2434 W 21^{3/8}" (543 mm)
 N° KSJT3034 W 27^{3/8}" (695 mm)




Velvet ring organizer, black

N° CVRING1 WxDxH 11^{5/8}" x 4^{1/4}" x 1^{1/4}" (295 x 108 x 32 mm)



Earring divider, clear

N° CALGORG1 WxDxH 11^{5/8}" x 6" x 1^{1/4}" (295 x 152 x 32 mm)



1/4" (6 mm) felt liner

N° KSJTLINER WxD 36" x 22" (914 x 559 mm)



Jewelry divider, clear

N° CASMORG1 WxDxH 11^{5/8}" x 4^{1/4}" x 1^{1/4}" (295 x 108 x 32 mm)



Necklace divider, clear

N° CANECKLACE1 WxDxH 11^{5/8}" x 6" x 1^{1/4}" (295 x 152 x 32 mm)



Pull-out closet mirror
WxDxH: 3 1/2" x 14" x 48" (89 x 356 x 1219 mm)

N° CM1448ORB1 | Oil-rubbed bronze
N° CM1448SN1 | Satin nickel

PULL-OUT MIRRORS



Mirror with aluminum mocha frame and 2 trays,
slides out and rotates.
Min. required depth: 17 15/16" (430 mm)
2 pocket trays
N° 3103113060 | WxDxH 170 x 415 x 1130 mm (6 11/16" x 16 3/8" x 44 1/2")

Mirror with aluminum
frame, slides out and
rotates, 1 9/16" (40 mm)
thickness.

Minimal interior
depth required:
18 1/2" (470 mm)

Available in aluminum
finish only

N° 131100195 |
WxH: 13 3/8" x 55 1/8"
(340 mm x 1.4 m)



SHELF & DRAWER ORGANIZATION



Universal boxes, graphite polystyrene

DxH 3 5/16" x 2 17/32" (84 x 64 mm)
N° 503291905 | 4 large containers
N° 503292905 | 9 containers
N° 503293905 | 3 containers



Anti-slip deco drawer mat
WxDxH 43 5/8" x 23 5/8" x 1/16"
(1100 x 600 x 1.5 mm)

N° 6115202040 | Anthracite
N° 6115211100 | Gray
N° 6115212906 | Taupe



Partition holder for 1/4" (6 mm) panels

N° 0030130 | H 3" (76 mm), white
N° 0030160 | H 3" (76 mm), brown
N° 0050130 | H 5" (127 mm), white



Drawer organization, graphite plastic

N° 2250905 | WxDxH 8 1/16" x 18 19/32" x 2 5/32" (205 x 472 x 55 mm)
N° 2251905 | WxDxH 12" x 18 19/32" x 2 5/32" (305 x 472 x 55 mm)
N° 2252905 | WxDxH 13 31/32" x 18 19/32" x 2 5/32" (355 x 472 x 55 mm)
N° 2253905 | WxDxH 15 1/16" x 18 19/32" x 2 5/32" (405 x 472 x 55 mm)



Clip-on vertical partition for shelves, clear acrylic

N° 28120111 | WxH 12" x 8" (305 x 203 mm)
N° 25120111 | WxH 12" x 5" (305 x 127 mm)
N° 28140111 | WxH 14" x 8" (356 x 203 mm)
N° 25140111 | WxH 14" x 5" (356 x 127 mm)



Drawer partition, clear acrylic

N° 14030111 | WxH 14" x 3" (355 x 76 mm)
N° 18030111 | WxH 18" x 3" (457 x 76 mm)
N° 14050111 | WxH 14" x 5" (355 x 127 mm)
N° 18050111 | WxH 18" x 5" (457 x 127 mm)

Partition holders
sold separately,
see above

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

LAUNDRY



Clothes drying system, ceiling mount, white **Panasonic**

N° 18120030 | WxDxH 47¹/₄" x 4¹/₂" x 2¹/₄" (1200 x 115 x 58 mm)



Clothes drying system, wall mount, white **Panasonic**

N° 18140030 | WxDxH 43⁷/₈" x 5⁵/₈" x 5¹/₂" (1115 x 137 x 139 mm)



Ironing Board

N° 3960 | WxDxH 14¹/₄" to 19¹¹/₁₆" x 20³/₃₂" x 4⁹/₁₆" to 5¹¹/₃₂"
(362 to 500 x 510 x 116 to 136 mm)
N° 3961 | Metallic cover



Clothes drying system, recessed, white


Panasonic

N° 18110030 | WxDxH 45³/₄" x 5¹/₄" x 3⁷/₈" (1161 x 132 x 98 mm)



Fold-out ironing board, chrome steel

N° CIB16CR | WxDxH 14¹/₄" to 21" x 15⁷/₈" x 4"
(362 to 533 x 403 x 102 mm)



Inset electric ironing board, steel

N° E342 | WxDxH 14¹/₄" x 3²⁹/₃₂" x 47³/₃₂" (362 x 99 x 1196 mm)
Ironing board, steel
N° NE342 | WxDxH 14¹/₄" x 3²⁹/₃₂" x 47³/₃₂" (362 x 99 x 1196 mm)



Built-in, swiveling ironing board

N° E42 | WxDxH
15" x 7⁷/₈" x 48"
(381 x 200 mm x 1.2 m)

Wall-mounted ironing board

N° 421000 | WxDxH
15" x 3" x 48"
(381 x 76 mm x 1.2 m)



Bottom-mounting pull-out hamper, including white polymer basket and door-mounting brackets.
Maple wood base
N° 4WHRM15DM1 | WxDxH 14^{1/4}" x 19^{3/4}" x 21" (362 x 502 x 533 mm)
N° HPB0332352 | Hamper replacement basket, white



Pull-out hamper with aluminum frame, silver adjustable door-mounting brackets and canvas hamper bag included.
N° 519015RM117 | WxDxH 14^{1/2}" x 18" x 19^{3/8}" (370 x 46 x 492 mm)



Tilt-out hamper baskets
DxH 13^{1/2}" x 19^{3/4}" (343 x 502 mm)
Option: removable hamper bag No CTOHT1611 for 15^{1/2}" hampers and No CTOHT2111 for 20^{1/2}" hampers
Chrome
N° CTOHB161319CR52 | W 15^{1/2}" (394 mm)
N° CTOHB211319CR52 | W 20^{1/2}" (521 mm)
Satin nickel
N° CTOHB161319SN52 | W 15^{1/2}" (394 mm)
N° CTOHB211319SN52 | W 20^{1/2}" (521 mm)
Oil-rubbed bronze
N° CTOHB161319OR52 | W 15^{1/2}" (394 mm)
N° CTOHB211319OR52 | W 20^{1/2}" (521 mm)



Pull-out laundry basket, white polymer
Full-extension bottom-mounted slides included, and door-mounting brackets (only for N° HPRV1925DMS)
Hamper replacement basket available on special order
N° HPRV1925DMS | WxDxH 20" x 14" x 24" (505 x 356 x 610 mm)
N° 1925530 | WxDxH 19^{7/8}" x 14" x 26" (505 x 356 x 660 mm)
N° RVDMMKIT | Door-mounting kit



Wire hamper with soft-close slides
WxDxH 24" x 14" x 18^{7/8}" (610 x 556 x 480 mm)
N° CH241419RM217 | Silver
N° CH241419RM211 | White
N° 5CHBLINER | Cloth hamper bag, ivory



Bottom mount pull-out wire hamper D 18" (46 mm)
The HRV1520SCR includes a canvas bag
N° HRV1220S | WxH 12" x 20" (305 x 508 mm), white
N° HRV1520S | WxH 15" x 20" (381 x 508 mm), white
N° HRV1520SCR | WxH 15" x 20" (381 x 508 mm), chrome



Tilt-out clothes hamper, chrome
Requires 1 x reversible flap stay N° 257938430 and 2 x 110° hinges with or without spring
N° 4056140 | WxDxH 9^{3/8}" x 11^{1/4}" x 16^{9/16}" (238 x 285 x 420 mm)
N° 4058140 | Clothes hamper support



Tilt-out clothes hamper, white wire
Requires 1 x reversible flap stay N° 257938430 and 2 x 110° hinges with or without spring
N° 006930 | WxDxH 12^{3/4}" x 14" x 18" (324 x 355 x 457 mm)
N° 406030 | Clothes hamper support



Tilt-out clothes hamper, including frame, chrome wire
Requires 1x flap stay No. 257938430
N° KS244102 | WxDxH 16" x 14" x 19" (406 x 356 x 483 mm)
N° KS244103 | WxDxH 21" x 14" x 19" (533 x 356 x 483 mm)
N° KS244104 | WxDxH 16" x 16" x 19" (406 x 406 x 483 mm)
N° KS244105 | WxDxH 21" x 16" x 19" (533 x 406 x 483 mm)
N° KS244106 | Hook for hamper



Pull-out clothes hamper, white polymer
N° 1520030 | WxDxH 14^{1/4}" x 20" x 19^{1/4}" (362 x 508 x 489 mm)
N° HPB0332352 | Hamper replacement basket
N° RVDMMKIT | Door-mounting kit



Pull-out laundry baskets, including 2 baskets, 34.9 qt. (33 l) each (1 blue and 1 white)
N° 32704530 | For 17^{3/4}" (450 mm) cabinet, white
N° 32703330 | Individual laundry basket, 34.9 qt. (33 l) white
N° 32703370 | Individual laundry basket, 34.9 qt. (33 l) blue



Pull-out laundry baskets, including 2 baskets, 34.9 qt. (33 l) each (1 blue and 1 white), 1 basket 12.7 qt. (12 l) with lid, and 1 basket 2.6 qt. (2.5 l).
N° 32706030 | For 23^{5/8}" (600 mm) cabinet, white
N° 32701230 | Individual laundry basket, 12.7 qt. (12 l) white
N° 32701330 | Lid for N° 32701230, white
N° 32702530 | Individual laundry basket, 2.6 qt. (2.5 l) white
N° 32703330 | Individual laundry basket, 34.9 qt. (33 l) white
N° 32703370 | Individual laundry basket, 34.9 qt. (33 l) blue


Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.

BROOM CABINET ORGANIZATION



Universal wood pull-out rack
Includes 7 hooks

N° 10988150 WxDxH
6 3/4" x 22 7/8" x 3 1/2"
(172 x 581 x 89 mm)
N° 10988908 Additional hooks



Sesam storage system for broom closet

- a N° 6360110 Sesam individual hook
- b N° 6359110 Sesam broom rack
- c N° 6361110 Sesam rail with 6 hooks



Sesam storage system for broom closet, complete set
Includes 3 shelves with hanging hooks and a vacuum hose holder

N° 6356110 WxDxH 14 1/4" x 16 15/16" x 29 19/32" (362 x 430 x 752 mm)



Wastebin, white
Capacity : 5.29 qt. (5 l)

N° 208030 WxDxH 10 1/4" x 8 19/32" x 10" (260 x 218 x 254 mm)



Wastebin, white
Capacity : 5.29 qt. (5 l)

N° 350530 WxDxH 7 7/8" x 7 9/16" x 13 3/8" (200 x 192 x 340 mm)



Universal wastebin, white

N° 32150830 WxDxH 9" x 6 1/2" x 13 1/4" (228 x 166 x 337 mm)
Capacity : 8.5 qt. (8 l)
N° 32151030 WxDxH 9" x 6 1/2" x 15 3/8" (228 x 166 x 392 mm)
Capacity : 10.5 qt. (10 l)



Tip-up wastebin, white
Capacity : 8.5 qt. (8 l)

N° 514992030 WxDxH 7" x 9 1/4" x 14 1/8" (178 x 235 x 359 mm)

WASTEBINS

TABLES



REVOLVING CLOSET SYSTEMS

Panasonic



Large revolving closet system*
Top part*, gray/beige
N° 13252040 | WxDxH: 99 17/32" x 31 1/2" x 92 17/32" (2520 x 800 x 2350 mm)
Bottom part*, gray/beige
N° 13252140 | WxDxH: 99 17/32" x 31 1/2" x 92 17/32" (2520 x 800 x 2350 mm)
* For a complete system, you must order 1 x N° 13252040 + 1 x N° 13252140



Small revolving closet system
N° 13168040 | Gray/beige
WxDxH: 66 1/8" x 31 1/2" x 84 7/8"
(1680 x 800 x 2155 mm)

SECURITY



Lockable secure box for medicine storage, white plastic

N° 422094030 | WxDxH: 11 7/32" x 7 9/32" x 9 27/32"
(285 x 185 x 250 mm)

STOOL



Folding step stool
WxH 16" x 15 9/16"
(405 x 395 mm)
N° 441230 | White
N° 4412100 | Gray



Wall support for folding step stool
N° 1449330 | White



Safe box, load rating 29 lb (13 kg), gray steel
Electronic keypad and digital lock


N° 2125100 | WxDxH: 14 3/16" x 12 13/32" x 9 27/32"
(360 x 315 x 250 mm)

Dimensions are provided for informational purposes only. Please visit our web site for installation dimensions.


TITUS SYSTEM 6

A face boring connector family for 32 mm system drilling for all cabinet manufacturing applications.


ASSEMBLY




1. Knock the housing into face board



2. Press the dowel into side panel



3. Assemble the panels




4. Tighten the joint



SYSTEM 6 - HOUSINGS

- Nylon housings with zinc cam
- Housings and dowels can be installed without tools
- Attains maximum strength when the cam is locked
- Angledrive feature on cam for maximum driving comfort
- Interchangeable pins for wood, plastic and steel applications
- Pins with twinstart drive for fast insertion
- Back-to-back fastenings for common vertical panel fixing of shelves



Ø 20 MM PLASTIC WEDGEFIX KNOCK-IN HOUSINGS

- Special fastener without cam: simply snap onto a pre-inserted dowel
- For use with quickfit dowels


No.	Finish	Drilling depth (A)	Panel thickness
647130	White	1/2" (12.5 mm)	5/8" (16 mm)
647230	White	9/16" (14 mm)	3/4" (19 mm)

*For use with screw-in dowels


COVER CAP FOR NON-OUTRIGGER CASINGS

- The cover cap provides decorative cover for all non-outrigger casings

No.	Finish
64183	Nickel



SYSTEM 6 - HOUSINGS




Ø 20 MM PLASTIC AND ZINC
KNOCK-IN HOUSINGS,
WITHOUT FLANGE

· Side-Entry

No.	Finish	Drilling depth (A)	Panel thickness
643590	Black	1/2" (12.5 mm)	5/8" (16 mm)
643530	White	1/2" (12.5 mm)	5/8" (16 mm)
643540	Almond	1/2" (12.5 mm)	5/8" (16 mm)
643560	Brown	1/2" (12.5 mm)	5/8" (16 mm)
643730	White	9/16" (14 mm)	3/4" (19 mm)
643790	Black	9/16" (14 mm)	3/4" (19 mm)
643740	Almond	9/16" (14 mm)	3/4" (19 mm)
643760	Brown	9/16" (14 mm)	3/4" (19 mm)

Drive type: Phillips




Ø 20 MM PLASTIC AND ZINC
KNOCK-IN HOUSINGS,
WITHOUT FLANGE

· Side-Entry

No.	Finish	Drilling depth (A)	Panel thickness
644540	Almond	9/16" (14 mm)	3/4" (19 mm)
644590	Black	9/16" (14 mm)	3/4" (19 mm)

Drive type: Phillips




Ø 20 MM PLASTIC AND ZINC
KNOCK-IN HOUSINGS, WITH FLANGE

· Drop-on

No.	Finish	Drilling depth (A)	Panel thickness
643130	White	1/2" (12.5 mm)	5/8" (16 mm)
643150	Almond	1/2" (12.5 mm)	5/8" (16 mm)
643190	Black	1/2" (12.5 mm)	5/8" (16 mm)
643160	Brown	1/2" (12.5 mm)	5/8" (16 mm)
643340	Almond	9/16" (14 mm)	3/4" (19 mm)
643360	Brown	9/16" (14 mm)	3/4" (19 mm)
643390	Black	9/16" (14 mm)	3/4" (19 mm)
643330	White	9/16" (14 mm)	3/4" (19 mm)
6433106	Silver	9/16" (14 mm)	3/4" (19 mm)
6433301	Antique White	9/16" (14 mm)	3/4" (19 mm)
6433135	Bronze	9/16" (14 mm)	3/4" (19 mm)
6433609	Dark Brown	9/16" (14 mm)	3/4" (19 mm)
643308	Warm Cherry	9/16" (14 mm)	3/4" (19 mm)
6433105	Light Gray	9/16" (14 mm)	3/4" (19 mm)
6433421	Candlelight	9/16" (14 mm)	3/4" (19 mm)

Drive type: Phillips



Ø 20 MM PLASTIC AND ZINC
KNOCK-IN HOUSINGS, WITH FLANGE

· Drop-on


No.	Finish	Drilling depth (A)	Panel thickness
643930	White	1/2" (12.5 mm)	5/8" (16 mm)
643940	Almond	1/2" (12.5 mm)	5/8" (16 mm)
643960	Brown	1/2" (12.5 mm)	5/8" (16 mm)
643990	Black	1/2" (12.5 mm)	5/8" (16 mm)
6455	Nickel	1/2" (12.5 mm)	5/8" (16 mm)
6439421	Candlelight	1/2" (12.5 mm)	5/8" (16 mm)
8644106	Silver	9/16" (14 mm)	3/4" (19 mm)
8644130	White	9/16" (14 mm)	3/4" (19 mm)
6457	Nickel	9/16" (14 mm)	3/4" (19 mm)
8644160	Brown	9/16" (14 mm)	3/4" (19 mm)
8644190	Black	9/16" (14 mm)	3/4" (19 mm)
86441301	Antique white	9/16" (14 mm)	3/4" (19 mm)
86441135	Bronze	9/16" (14 mm)	3/4" (19 mm)
86441609	Dark brown	9/16" (14 mm)	3/4" (19 mm)
8644108	Warm cherry	9/16" (14 mm)	3/4" (19 mm)
86441105	Light gray	9/16" (14 mm)	3/4" (19 mm)

Drive type: Phillips

SYSTEM 6 DOWELS

Klix locking feature for a strong,
vibration-proof connection


Depth stop collar for accurate insertion



Ø 5 MM SCREW-IN DOWEL

- For panel-to-panel, and back-to-back applications


No.	Material	Drilling Ø for Dowel Thread	Drilling Length for Dowel Thread (A)
6401	Zinc	3/16" (5 mm)	3/8" (9 mm)
640283	Steel	3/16" (5 mm)	5/16" (8 mm)
6402	Zinc	3/16" (5 mm)	5/16" (8 mm)
6406	Zinc	3/16" (5 mm)	7/16" (11.5 mm)



Ø 5 MM END DOWEL

- Above-average resistance

No.	Material	Drilling Ø for Dowel Thread	Drilling Length for Dowel Thread	Panel thickness (A)
6412	Zinc	3/16" (5 mm)	5/8" (16 mm)	5/8" (16 mm)
6415	Zinc	3/16" (5 mm)	5/8" (16 mm)	3/4" (19 mm)



Ø 5 MM DOUBLE-ENDED DOWELS


- Double dowels allow for identical panels
vertically and horizontally

No.	Material	Drilling Ø for Dowel Thread	Product Diameter	Panel thickness (A)
6414	Zinc	3/16" (5 mm)	5/8" (16 mm)	5/8" (16 mm)
6416	Zinc	3/16" (5 mm)	5/8" (16 mm)	3/4" (19 mm)
6419	Steel	3/16" (5 mm)	3/4" (19 mm)	3/4" (19 mm)



SYSTEM 6 - QUICKFIT DOWELS

- The Quickfit dowels simply slide into the predrilled 5 mm hole
- Dowels can be hand inserted, and removed without damaging the panel
- Klix locking feature for a strong, vibration-proof connection
- Depth stop collar for accurate insertion



Ø 5 MM QUICKFIT EXPANDING DOWELS

- The dowel expands in the hole as the housing cam is rotated
- For panel-to-panel, and back-to-back applications

No.	Material	Drilling Ø for Dowel Thread	Drilling Length for Dowel Thread
6408	Plastic and Zinc	3/16" (5 mm)	1/2" (12.5 mm)
6479	Plastic and Zinc	3/16" (5 mm)	9/32" (7.5 mm)

SUSPENSION SYSTEMS

UNHANDED HANGING BRACKETS



No.	Installation Position	Mounting Type	Depth Adjustment	Height Adjustment	Load Rating/Unit	Finish
8041630	Right or Left	With screws	3/8" (10 mm)	5/8" (15 mm)	143 lb (65 kg)	White

Compatible with rail no. **875230**, **6029002G**, or **3000605**

Sold per unit

No.	Installation Position	Mounting Type	Depth Adjustment	Height Adjustment	Load Rating/Pair	Finish
60290161	Right and Left	With screws	5/8" (16 mm)	1/2" (12 mm)	198 lb (90 kg)	Brown
60290130						White

Compatible with rail no. **875230**, **6029002G**, or **3000605**

Sold per pair

Can be installed on a rail or anchor.

HANDED HANGING BRACKETS



Compatible with rail no. **875230**, **6029002G** or **3000605**
Sold per unit

No.	Installation Position	Mounting Type	Depth Adjustment	Height Adjustment	Load Rating/Unit	Finish			
800140290	Right	With screws	1" (25 mm)	1" (25 mm)	154 lb (70 kg)	Black			
800140230	Right					White			
800140240	Right					Beige			
800140260	Right					Brown			
800140390	Left					Black			
800140330	Left					White			
800140340	Left					Beige			
800140360	Left					Brown			
800220290	Right	With dowel							Black
800220230	Right					White			
800220240	Right					Beige			
800220260	Right					Brown			
800220390	Left					Black			
800220330	Left					White			
800220340	Left					Beige			
800220360	Left					Brown			

HANGING RAILS



No.	Rail Thickness	Hole Ø	Depth	Lenght
875230	1/16" (1.8 mm)	- 6.2 mm - 8.4 x 8 mm	1/4" (6 mm)	8'-4" (2489 mm)
6029002G	1/32" (1.25 mm)	- 6.5 mm - 8.5 mm - 10.2 x 18.3 mm	3/16" (5 mm)	6'-6 3/4" (2000 mm)
3000605	1/16" (1.7 mm)	- 6.4 mm	1/4" (6.2 mm)	8' (2438 mm)

COVER RAILS



No.	Compatible Rail	Finish	Lenght
883230	875230	White	8' (2438 mm)
883240		Beige	
883260		Brown	
883290		Black	
6029030	6029002G	White	6'-6 3/4" (2000 mm)
6029040		Beige	
6029060		Brown	
6029090		Black	
3000608	3000605	White	8' (2438 mm)
3000609		Almond	
3000607		Brown	

SUSPENSION SYSTEMS



HEAVY-DUTY HANGING BRACKETS



No.	Installation Position	Mounting Type	Depth Adjustment	Height Adjustment	Load Rating/Pair	Finish
602910022G	Right	With screws	5/8" (15 mm)	3/4" (18 mm)	260 lb (120 kg)	Zinc
602910032G	Left					White
6029100230	Right					
6029100330	Left					Black
6029100290	Right					
6029100390	Left					

Compatible with rail no. **875230** or **6029002G**

Sold per unit

Plastic cover caps sold separately



Light Brown	White	Dark Brown	Installation Position
6029110361	6029110230	6029110260	Right
6029110261	6029110330	6029110360	Left



No.	Installation Position	Mounting Type	Depth Adjustment	Height Adjustment	Load Rating/Pair	Finish
8011022G	Right	With dowel	3/4" (19 mm)	3/4" (20 mm)	374 lb (170 kg)	Zinc
8011032G	Left					

Compatible with rail no. **875230**

Sold per unit

Plastic cover caps sold separately



White	Nickel	Beige	Installation Position
80100230	801002180	80100240	Right
80100330	801003180	80100340	Left

CONCEALED HANGING BRACKETS



No.	Installation Position	Mounting Type	Depth Adjustment	Height Adjustment	Load Rating/Pair	Finish
8163252G	Right	With dowel	3/8" (10 mm)	15/32" (12 mm)	143 lb (65 kg)	Zinc
816322G	Left					

Compatible with rail no. **875230**

Sold per unit



No.	Installation Position	Mounting Type	Depth Adjustment	Height Adjustment	Load Rating/Pair	Finish
8832310032G	Right	With dowel	1" (25 mm)	11/16" (18 mm)	160 lb (73 kg)	Zinc
8832311032G	Left					

Compatible with rail no. **875230**

Sold per unit

ABS CABINET LEVELERS

- Load rating:
331 lb (150 kg) / tube
- Base diameter:
1 7/8" (48 mm)
- Finish: black



No.	Height (H)	Adjustment Range
4510990	3 1/2" (90 mm)	+ 3/4", - 3/16" (+ 20 mm, - 5 mm)
4511090	4" (100 mm)	
4511190	4 3/8" (110 mm)	
4511290	4 3/4" (120 mm)	
4511590	5 7/8" (150 mm)	
4511690	6 1/4" (160 mm)	
4511890	7 1/8" (180 mm)	+ 2 3/8", - 3/16" (+ 60 mm, - 5 mm)
4481090	4" (100 mm)	


CABINET LEVELERS



ABS CABINET LEG HEADS WITH DOWEL


- Load rating: 331 lb (150 kg)
- Finish: black

No.	Dowel Ø (D)
8411090	10 mm
8412090	15 mm



SCREW-IN ABS CABINET LEG HEADS

- Load rating: 331 lb (150 kg)
- M10 screw recommended
- Finish: black




CABINET LEVELERS

CONCEALED LEVELERS

- These levelers are installed into the body of the side panel
- Adjustment range: 1" (25 mm)
- Finish: zinc


	No.	Load Rating	Overall Height	Stem Ø
A	3060502G	331 lb (150 kg)	2 5/8" (68 mm)	12 mm
B	306122G		5 1/4" (134 mm)	14 mm



CONCEALED LEVELER


- Easy installation
- Adjustment Range: 13/16" (20 mm)
- Finish: zinc

No.	Load Rating	Overall Height	Ø
30000190	220 lb (100 kg)	1 1/8" (30 mm)	28 mm
30000090	331 lb (150 kg)		38 mm



TOE KICK FASTENER

- Clips easily for toe kicks from 1/2" to 3/4" (12 to 19 mm) thick
- Mount to a pre-cut toe kick
- Toe kicks are easily installed or removed for cleaning or repairs
- Finish: zinc



LED GOCCIA CLOSET ROD



Aluminum finish
Motion detector built into each fixture
Each unit includes a 78" (1981 mm) cable for connection to power supply

N° 10880229 | 29 1/8" (740 mm) / 2.88 W
N° 10880335 | 35 7/16" (900 mm) / 3.84 W
N° 10880441 | 41 3/4" (1.06 m) / 4.56 W
N° 10880554 | 54 5/16" (1.38 m) / 6 W

LITHIUM POWERED RECHARGEABLE LIGHT

LED VEGA II	LED VEGA III
	
1.6 W Aluminum finish 3.7 V lithium battery Easy installation wireless lighting!	
LED VEGA II w/motion sensor N° 4301S122 N° 4301S124	LED VEGA III w/on/off switch N° 4301P122 Warm white N° 4301P124 Neutral white

LIGHTING

CLOSET ROD PROFILE




8' (2.44 m)
aluminum profile
with opal lens,
cut-to-size
Ø 3/16" (30 mm)

N° 30147850

LED tape lights sold separately, see options below

SUPPORTS FOR CLOSET ROD PROFILE



Ø 5/16" (33.3 mm)

a | N° 2215602174* Open, screw mount Matte chrome
b | N° 2215612174* Closed, screw mount Matte chrome
c | N° 2215603174* Central, screw mount Matte chrome
d | N° 2215601174* Open, dowel mount Matte chrome
e | N° 2215611174* Closed, dowel mount Matte chrome

* See page 19

N° 3221560174 Rod support for round rod up to 1 5/16" Matte chrome

TAPE LIGHTS

LED TAPE LIGHT ROLL*



Lenght: 13' (4 m), 14.4 W per 3' (1 m)
Cool white Warm white Neutral white
N° 50460121 N° 50460122 N° 50460124

LED TAPE LIGHT ROLL power cord (required, choose one)
Black White
N° 5042090 N° 5042030 | 20" (508 mm)
N° 5044090 N° 5044030 | 40" (1.02 mm)
N° 5047990 N° 5047930 | 79" (2.01 mm)

On/off door contact switch (optional)
N° 50460502 | 60 W

* Requires a power supply, see products at the bottom of this page

LED FLEXYLED*



Warm white Neutral white
N° 107122010 N° 107124010 | 9 27/32" (250 mm) / 1.2 W
N° 107122020 N° 107124020 | 19 11/16" (500 mm) / 2.4 W
N° 107122040 N° 107124040 | 39 3/8" (1 m) / 4.8 W
N° 107122079 N° 107124079 | 78 3/4" (2 m) / 9.6 W

LED FLEXYLED power cord (required)
N° 1071279 | 79" (2.01 mm)

Connecting cables (required, choose one)
N° 1071210 | 10"
N° 1071220 | 20"
N° 1071240 | 40"

* Requires a power supply, see products at the bottom of this page

LED FLEXYLED CH*



Cool white Warm white Neutral white
N° 103197121 N° 103197122 N° 103197124 | 197" (5 m) / 24 W
N° 103788121 N° 103788122 N° 103788124 | 788" (20 m) / 96 W

LED FLEXYLED CH power cord (required)
N° 107079 | 79" (2.01 mm)

LED FLEXYLED CH interconnecting options (required, choose one)
N° 103002 | 2" (50mm)
N° 103004 | 4" (100mm)
N° 103000 | Direct-connect

* Requires a power supply, see products at the bottom of this page

POWER SUPPLY for TAPE LIGHT ROLL



(required, choose one)
N° 2652412 | 12 W max.
N° 2651236 | 36 W max.
N° 2651260 | 60 W max.

POWER SUPPLY for FLEXYLED and FLEXYLED CH



(required, choose one)
N° 51206 | 6 W max.
N° 51215 | 15 W max.
N° 51230 | 30 W max.
N° 51260 | 60 W max.

MOTION-ACTIVATED SWITCH



The switch is triggered by a person approaching and/or by door motion
N° 310127899 | White

Many optional accessories available, please visit www.richelieu.com



CANADA

Tel.: 1 800 361-6000

Fax.: 1 800 363-0193

ALBERTA
Calgary
Edmonton

BRITISH COLUMBIA
Kelowna
Vancouver
Victoria

MANITOBA
Winnipeg

NEW BRUNSWICK
Moncton

NEWFOUNDLAND
St. John's

NOVA SCOTIA
Halifax

ONTARIO
Barrie
Kitchener
Mississauga
Ottawa
Sudbury
Thunder Bay

QUÉBEC
Laval
Montréal
Québec

SASKATCHEWAN
Regina
Saskatoon
Toronto

UNITED STATES

Tel.: 1 800 619-5446

Fax.: 1 800 876-7454

CONNECTICUT
Hartford

FLORIDA
Dania Beach
Hialeah
Jacksonville
Orlando
Pompano Beach
Riviera Beach
Sarasota
Tampa

GEORGIA
Atlanta
Savannah

ILLINOIS
Chicago

INDIANA
Indianapolis

KENTUCKY
Louisville

MAINE
Portland

MASSACHUSETTS
Boston

MICHIGAN
Detroit

NEW JERSEY
Lincoln Park

NEW YORK - UPSTATE
Buffalo
Syracuse

NEW YORK CITY
Long Island City
New York

NORTH CAROLINA
Charlotte
Greensboro

OHIO
Cincinnati

SOUTH CAROLINA
Greenville

TENNESSEE
Memphis
Nashville

TEXAS
Dallas
Houston

WASHINGTON
Seattle



Richelieu
richelieu.com

